Author Index

AAS, P. & FONNUM, F. Presynaptic inhibition of acetylcholine release, 335
AHLMAN, H. (*see* GRÖNSTAD, K.O.)
AHLQUIST, M.L., FRANZÉN, O.G., EDWALL, L.G.A., FORS, U.G., & HAEGERSTAM, G.A.T. The relation between intradental nerve activity and pulpal pain after heat stimulation, 1
AHRÉN, B. (*see* SANDBERG, E.)
AHRÉN, K. (*see* SENDER BAUM, M.)
ALBERTS, P. (*see* STJÄRNE, L.)
ANDERSSON, G. Regional differences in evoked response latencies in the cat motor cortex (area 4_γ), 395
ANDERSSON, P. (*see* PERSSON, C.G.A.)
ANDERSSON, S.A. (*see* DELBRO, D.)
ANGELO-KHATTAR, M. (*see* THULESIUS, O.)
APERIA, A. (*see* SAHLGREN, B.)
ARFORS, K.-E. (*see* GRÖGAARD, B.)
ÅRHEM, P. (*see* HEDLUND, B.)
ASHBY, P., HILTON-BROWN, P. & STÅLBERG, E. Afferent projections to human tibialis anterior motor units active at various levels of muscle contraction, 523
ASTLEY, C. (*see* SPELMAN, F.A.)

BARTFAI, T. (*see* STJÄRNE, L.)
BASU, S. (*see* JÓNASSON, H.)
BERGH, U. (*see* BLOMSTRAND, E.)
BERG-JOHNSEN, J. & LANGMOEN, I.A. The effect of isoflurane on unmyelinated and myelinated fibres in the rat brain, 87
BERGSTRÖM, M. & HULTMAN, E. Relaxation time during intermittent isometric contraction in subjects with different capacity for oxidative work, 107
BIE, P. (*see* JOHANNESSEN, A.C.)
BJERREGAARD, H.F. & NIELSEN, R. Trifluoperazine stimulated sodium transport by increased prostaglandin E_2 synthesis in isolated frog skin (*Rana esculenta*), 75
BJURSTEDT, H. (*see* EIKEN, O.)
BLOMSTRAND, E., KAIJSER, L., MARTINSSON, A. BERGH, U. & EKBLOM, B. Temperature-induced changes in metabolic and hormonal responses to intensive dynamic exercise, 477
BRADLEY, T. & HJEMDAHL, P. Renal overflow of noradrenaline and dopamine to plasma during hindquarter compression and thoracic inferior vena cava obstruction in the dog, 305
BROWN, H.M. (*see* RYDQVIST, B.)
BUGGE, J.F., VIKSE, A., DAHL, E., SLØRDAHL, S.H. & KIIL, F. Comparison of PGE_2, 6-keto $PGF_{1\alpha}$ and renin release from dog kidneys, 197
BÜLOW, J. (*see* MADSEN, J.)

CARLQUIST, M. (*see* SANDBERG, E.)
CARLSÖÖ, B. (*see* DAHLQVIST, Å.)
CHENOUFI, H.-L., ENGBERG, E., SLANINOVÁ & THORN, N.A. Identification of calmodulin-binding proteins on membranes of secretory granules isolated from bovine neurohypophyses, 33
CRONE, C. (*see* OLESEN, S.-P.)

DAHL, E. (*see* BUGGE, J.F.)
DAHLQVIST, Å., PEQUIGNOT, J.-M., HELLSTRÖM, S., CARLSÖÖ, B. & PEYRIN, L. Catecholamines of endoneurial laryngeal paraganglia in the rat, 257
DAHLSTRÖM, A. (*see* GRÖNSTAD, K.O.)
DELBRO, D., LISANDER, B. & ANDERSSON, S.A. Bradykinin-induced atropine-sensitive gastric contractions. Activation of an intramural axon reflex?, 111
DELBRO, D. (*see* HELDUND, H.)
DELBRO, D. (*see* NORDSTRÖM, O.)
DENCKER, L. (*see* MILTON, A.)
DENTON, D.A. (*see* RUNDGREN, M.)
DÜRR, J.E. & HVIID LARSEN, E. Indacrinone (MK-196) – a specific inhibitor of the voltage-dependent Cl^- permeability in toad skin, 145

EDWALL, L.G.A. (*see* AHLQUIST, M.L.)
EFENDIĆ, S. (*see* SANDBERG, E.)
EIKEN, O., LIND, F. & BJURSTEDT, H. Effects of blood volume distribution on ventilatory variables at rest and during exercise, 507
EINARSSON, B. (*see* MAGNUSSON, C.)
EK, B. & LUNDGREN, B. Increased β_1-adrenoceptor density after 6-hydroxydopamine pretreatment in rat colon and lung, 455
EKBLOM, B. (*see* BLOMSTRAND, E.)
EKLÖF, A.-C. (*see* SAHLGREN, B.)
EKSTRÖM, J., MALMBERG, L. & ÖBERG, S. Unilateral denervation of the rat urinary bladder and reinnervation: a predominance for ipsilateral changes, 223
ENGBERG, E. (*see* CHENOUFI, H.-L.)
ERIKSSON, Ö. & WISTRAND, P.J. Inhibitory effects of chemically-different 'loop' diuretics on chloride transport across the bullfrog cornea, 137
ERJEFÄLT, I. (*see* PERSSON, C.G.A.)

FAHRENKRUG, J. (*see* SJÖQVIST, A.)
FÄNDRIKS, L. (*see* HEDLUND, H.)
FÄNDRIKS, L. (*see* JÖNSON, C.)
FASTBOM, J. (*see* FREDHOLM, B.B.)

FASTH, S. (*see* HEDLUND, H.)
FLEMSTRÖM, G. (*see* SÄFSTEN, B.)
FONNUM, F. (*see* AAS, P.)
FORS, U.G. (*see* AHLQUIST, M.L.)
FORSLID, A., INGVAR, M., ROSÉN, I. & INGVAR, D.H. Carbon dioxide narcosis: influence of short-term high concentration carbon dioxide inhalation on EEG and cortical evoked responses in the rat, 281
FRANZÉN, O.G. (*see* AHLQUIST, M.L.)
FREDHOLM, B.B., FASTBOM, J. & LINDGREN, E. Effects of *N*-ethylmaleimide and forskolin on glutamate release from rat hippocampal slices. Evidence that prejunctional adenosine receptors are linked to *N*-proteins, but not to adenylate cyclase, 381

GARBY, L., LAMMERT, O. & NIELSEN, E. 24-h evaporative and sensible heat losses in relation to ambient humidity at 24 °C in clothed human subjects, 167
GAUTVIK, K.M. (*see* IVERSEN, J.-G.)
GERDIN, B. (*see* GRÖGAARD, B.)
GÖRANSSON, A. (*see* SJÖQUIST, M.)
GÖRANSSON, A. (*see* ULFENDAHL, H.R.)
GRÖGAARD, B., LUNDBERG, K., GERDIN, B. & ARFORS, K.-E. Effect of carotid artery occlusion and ganglionic blockade on regional blood flows and intestinal damage after haemorrhagic hypotension in the rat, 17
GRÖNSTAD, K.O., DAHLSTRÖM, A., JAFFE, B.M. & AHLMAN, H. Regional and selective changes in blood flow of the feline small intestine induced by endoluminal serotonin, 207

HAEGERSTAM, G.A.T. (*see* AHLQUIST, M.L.)
HÄGGENDAL, J. On the patterns of blood pressure, heart rate, and blood levels of noradrenaline and adrenaline during haemerrhage in the rat, 513
HAMBERG, M. (*see* OLIW, E.H.)
HAMMARLUND, K., RIESENFELD, T. & SEDIN, G. Measurement of respiratory water loss in newborn lambs, 61
HAMMER, M. & SKAGEN, K. Effects of small changes of plasma vasopressin on subcutaneous and skeletal muscle blood flow in man, 67
HANSELL, P. & ULFENDAHL, H.R. Atriopeptins and renal cortical and papillary blood flow, 349
HANSELL, P. (*see* SJÖQUIST, M.)
HANSELL, P. (*see* ULFENDAHL, H.R.)
HARALDSSON, B. & RIPPE, B. Restricted diffusion of CrEDTA and cyanocobalamine across the exchange vessels in rat hindquarters, 359
HARALDSSON, B. (*see* RIPPE, B.)
HARTMANN, A., LANGBERG, H., HOLDAAS, H. & KIIL, F. Glomerulotubular balance during renal sympathetic stimulation, 187
HAUG, E. (*see* IVERSEN, K.-G.)
HEDLUND, B., ÅRHEM, P., LORENTZ, M. & SYDBOM, A. Non-muscarinic effects of scopolamine on N1E-115 neuroblastoma cells, 127
HEDLUND, H., FÄNDRIKS, L., DELBRO, D. & FASTH, S. Effect of α,β-methylene ATP on distal colonic and rectal motility – a possible involvement of P2-purinoceptors in pelvic nerve mediated non-adrenergic, non-cholinergic contraction, 425
HELLSTRÖM, S. (*see* DAHLQVIST, Å.)
HENRIKSEN, O. & ROWELL, L.B. Lack of effect of moderate hypoxaemia on human postural reflexes to skeletal muscle, 171
HILTON-BROWN, P. (*see* ASHBY, P.)
HJEMDAHL, P. (*see* BRADLEY, T.)
HOFFMANN, P. & THORÉN, P. Long-lasting depression induced by acupuncture-like stimulation of the sciatic nerve in unanaesthetized rats. Effects of arousal and type of hypertension, 119
HOLDAAS, H. (*see* HARTMANN, A.)
HOLM-RUTILI, L. Effects of prostaglandin E_1, E_2 and 16,16-dimethyl-E_2 on gastric mucosal microcirculation and basal acid output in the rat, 313
HULTMAN, E. (*see* BERGSTRÖM, M)
HVIID LARSEN, E. (*see* DÜRR, J.E.)

ILEBEKK, A. (*see* STOKLAND, O.)
INGVAR, D. H. (*see* FORSLID, A.)
INGVAR, M. (*see* FORSLID, A.)
ISAKSSON, B. (*see* SJÖQUIST, M.)
IVERSEN, J.-G., SLETHOLT, K., HAUG, E. & GAUTVIK, K.M. On the functional relationship between $^{45}Ca^{2+}$ release and prolactin secretion in cultured rat pituitary tumour (GH_3) cells, 249

JAFFE, B.M. (*see* GRÖNSTAD, K.O.)
JIVEGÅRD, L. & SVANVIK, J. The influence of morphine, loperamide and naloxone on gallbladder response to prostaglandin E_2 in the anaesthetized cat, 275
JOHANNESSEN, A.C., SCHÜTTEN, H.J., TORP-PEDERSEN, C., WARBERG, J. & BIE, P. Effects of synthetic human atrial natriuretic peptide (hANP) in conscious dogs, 449
JÓNASSON, H. & BASU, S. Atropine-antagonized miosis induced in the goat by intravenous infusions of prostaglandin E (PGE_1 and PGE_2), 243
JÖNSON, C. & FÄNDRIKS, L. Bleeding decreases duodenal HCO_3-secretion by a nervous mechanism, 273
JONSSON, G. (*see* TOSSMAN, U.)

KAIJSER, L. (*see* BLOMSTRAND, E.)
KARLSON, M. (*see* ULFENDAHL, H.R.)
KARP, M. (*see* PYYKÖNEN, M.-L.)
KATZ-SALAMON, M. Increased CO_2 drive for ventilation in healthy human subjects may interfere with their ability to control lung volumes voluntarily, 343

KETTUNEN, R., TIMISJÄRVI, J., KOUVALAINEN, E., RÄMÖ, P. & LINNALUOTO, M. The automatic computation of pressure-derived maximal shortening velocity (V_{max}) of the unloaded contractile element in the intact canine heart left ventricle, 467
KIIL, F. (*see* BUGGE, J.F.)
KIIL, F. (*see* HARTMANN, A.)
KOUVALAINEN, E. (*see* KETTUNEN, R.)

LAMMERT, O. (*see* GARBY, L.)
LANGBERG, H. (*see* HARTMANN, A.)
LANGMOEN, I.A. (*see* BERG-JOHNSEN, J.)
LIND, F. (*see* EIKEN, O.)
LINDGREN, E. (*see* FREDHOLM, B.B.)
LINNALUOTO, M. (*see* KETTUNEN, R.)
LISANDER, B. (*see* DELBRO, D.)
LISHAJKO, F. Binding of catecholamines to phospholipids isolated from adrenal medullary granules, 177
LORENTZ, M. (*see* HEDLUND, B.)
LUNDBERG, K. (*see* GRÖGAARD, B.)
LUNDGREN, B. (*see* EK, B.)
LUPA, M.T. (*see* TABTI, N.)

MADSEN, J., BÜLOW, J. & NIELSEN, N.E. Inhibition of fatty acid mobilization by arterial free fatty acid concentration, 161
MAGNUSSON, C., EINARSSON, B. & NILSSON, B.O. Oxygen consumption by the mouse blastocyst at activation for implantation, 215
MALMBERG, L. (*see* EKSTRÖM, J.)
MÅNSSON, J., SKOOG, P. & THORÉN, P. Naloxone and haemorrhagic hypotension in rats. Evidence against sympathetic nervous system as the primary mediator of improved cardiovascular haemodynamics, 155
MARTINSSON, A. (*see* BLOMSTRAND, E.)
MCKINLEY, M.J. (*see* RUNDGREN, M.)
MILTON, A., ODLIND, B. & DENCKER, L. Renal handling and effects of [^{3}H]digoxin and interactions with quinidine in the avian kidney, 9
MOLAUG, M. (*see* STOKLAND, O.)

NIELSEN, E. (*see* GARBY, L.)
NIELSEN, N.E. (*see* MADSEN, J.)
NIELSEN, R. (*see* BJERREGAARD, H.F.)
NILSSON, B.O. (*see* MAGNUSSON, C.)
NORDSTRÖM, O. & DELBRO, D. Adenosine-induced contractions of the isolated rat trachea are mediated by 5-hydroxytryptamine, 557
NURMI, A.-K. (*see* PYYKÖNEN, M.-L.)

ÖBERG, P.-Å. (*see* SPELMAN, F.A.)
ÖBERG, S. (*see* EKSTRÖM, J.)
ODLIND, B. (*see* MILTON, A.)
OLESEN, S.-P. & CRONE, C. Substances that rapidly augment ionic conductance of endothelium in cerebral venules, 233
OLIW, E.H., SPRECHER, H. & HAMBERG, M. Biosynthesis of a novel prostaglandin, Δ^{17}-PGE$_1$, in the ram, 45

PEQUIGNOT, J.-M. (*see* DAHLQVIST, Å.)
PERSSON, C.G.A., ERJEFÄLT, I. & ANDERSSON, P. Leakage of macromolecules from guinea-pig tracheobronchial microcirculation. Effects of allergen, leukotrienes, tachykinins and anti-asthma drugs, 95
PEYRIN, L. (*see* DAHLQVIST, Å.)
PYYKÖNEN, M.-L., YLITALO, P., KARP, M., NURMI, A.-K. & TIKKANEN, I. The effect of sodium load on the development of hypertension, plasma renin and kininogen in rats with renal artery constriction, 461

RÄMÖ, P. (*see* KETTUNEN, R.)
REED, R.K. (*see* WIIG, H.)
RICKSTEN, S.-E. (*see* SELLDÉN, H.)
RIESENFELD, T. (*see* HAMMARLUND, K.)
RIPPE, B. & HARALDSSON, B. A technique for assessing capillary permeability from transvascular protein flux data obtained at low filtration rates, 263
RIPPE, B. & HARALDSSON, B. Capillary permeability in rat hindquarters as determined by estimations of capillary reflection coefficients, 289
RIPPE, B. (*see* HARALDSSON, B.)
ROSÉN, I. (*see* FORSLID, A.)
ROWELL, L.B. (*see* HENRIKSEN, O.)
RUNDGREN, M., DENTON, D.A., MCKINLEY, M.J. & WEISINGER, R.S. The dipsogenic effect of intracerebroventricular infusion of hypertonic NaCl in the sheep is mediated mainly by the Na ion, 433
RYDQVIST, B. & BROWN, H.M. Intracellular free Mg^{2+} in *Balanus* photoreceptor measured with Eriochrome Blue, 499

SÄFSTEN, B. & FLEMSTRÖM, G. Stimulatory effect of pirenzepine on mucosal bicarbonate secretion in rat duodenum *in vivo*, 267
SAHLGREN, B., EKLÖF, A.-C. & APERIA, A. Studies of the renal component of the hypertension in rats with aortic constriction. Role of angiotensin II, 443
SANDBERG, E., AHRÉN, B., TENDLER, D., CARLQUIST, M. & EFENDIĆ, S. Potentiation of glucose-induced insulin secretion in the perfused rat pancreas by porcine GIP (gastric inhibitory polypeptide), bovine GIP, and bovine GIP$_{(1-39)}$, 323
SCHÜTTEN, H.J. (*see* JOHANNESSEN, A.C.)
SEDIN, G. (*see* HAMMARLUND, K.)
SEGOVIA, J. (*see* TOSSMAN, U.)
SELLDÉN, H., SJÖVALL, H. & RICKSTEN, S.-E. Sympathetic nerve activity and central haemodynamics during mechanical ventilation with positive end-expiratory pressure in rats, 51
SENDER BAUM, M. & AHRÉN, K. Adenosine potentiates the effects of LH and isoproterenol on luteal cells but not on isolated intact corpora lutea, 373

SJÖQUIST, M., GÖRANSSON, A., HANSELL, P., ISAKSSON, B. & ULFENDAHL, H.R. Redistribution of glomerular filtration and renal plasma flow in CNS-induced natriuresis, 419
SJÖQUIST, M. (*see* ULFENDAHL, H.R.)
SJÖVALL, H. (*see* SELLDÉN, H.)
SJÖQVIST, A. & FAHRENKRUG, J. Sympathetic nerve activation decreases the release of vasoactive intestinal polypeptide from the feline intestine, 419
SKAGEN, K. (*see* HAMMER, M.)
SKOOG, P. (*see* MÅNSSON, J.)
SLANINOVÁ, J. (*see* CHENOUFI, H.-L.)
SLETHOLT, K. (*see* IVERSEN, J.-G.)
SLØRDAHL, S.H. (*see* BUGGE, J.F.)
SPELMAN, F.A., ÖBERG, P.-Å. & ASTLEY, C. Localized neural control of blood flow in the renal cortex of the anaesthetized baboon, 437
SPRECHER, H. (*see* OLIW, E.H.)
STÅLBERG, E. (*see* ASHBY, P.)
STJÄRNE, L., ALBERTS, P. & BARTFAI, T. Effects of chloride ion substitution on the frequency dependence and α-autoinhibition of [^{3}H]noradrenaline secretion in guinea-pig vas deferens, 327
STOKLAND, O., MOLAUG, M., THORVALDSON, J. & ILEBEKK, A. Angiotensin II infusion during β-adrenergic stimulation by isoproterenol. Effects on hepatic, splenic and cardiac blood volumes and on the magnitude and distribution of cardiac output in the dog, 387
SVANVIK, J. (*see* JIVEGÅRD, L.)
SYDBOM, A. (*see* HEDLUND, B.)

TABTI, N., LUPA, M.T. & THESLEFF, S. Effects of some aminoquinolines on spontaneous quantal acetylcholine release, 553
TENDLER, D. (*see* SANDBERG, E.)
THESLEFF, S. (*see* TABTI, N.)
THORÉN, P. (*see* HOFFMANN, P.)
THORÉN, P. (*see* MÅNSSON, J.)
THORN, N.A. (*see* CHENOUFI, H.-L.)
THORVALDSON, J. (*see* STOKLAND, O.)
THULESIUS, O., UGAILY-THULESIUS, L. & ANGELO-KHATTAR, M. Generation and transmission of ovine ureteral contractions, with special reference to prostaglandins, 485
TIKKANEN, I. (*see* PYYKÖNEN, M.-L.)
TIMISJÄRVI, J. (*see* KETTUNEN, R.)
TORP-PEDERSEN, C. (*see* JOHANNESSEN, A.C.)
TOSSMAN, U., JONSSON, G. & UNGERSTEDT, U. Regional distribution and extracellular levels of amino acids in rat cerebral nervous system, 533
TOSSMAN, U., SEGOVIA, J. & UNGERSTEDT, U. Extracellular levels of amino acids in striatum and globus pallidus of 6-hydroxydopamine-lesioned rats measured with microdialysis, 547

UGAILY-THULESIUS, L. (*see* THULESIUS, O.)
ULFENDAHL, H.R., GÖRANSSON, A., HANSELL, P., KARLSSON, M. & SJÖQUIST, M. Natriuresis obtained by stimulation of the cerebroventricular system with sodium ions indicates a blood-borne natriuretic factor, 269
ULFENDAHL, H.R. (*see* HANSELL, P.)
ULFENDAHL, H.R. (*see* SJÖQUIST, M.)
UNGELL, A.-L. Inhibitory effects of desmethylimipramine, metanephrine and normetanephrine on the neuronal and extraneuronal accumulation of catecholamines in fish spleen, 27
UNGERSTEDT, U. (*see* TOSSMAN, U.)

VIKSE, A. (*see* BUGGE, J.F.)

WALLBERG-HENRIKSSON, H. Repeated exercise regulates glucose transport capacity in skeletal muscle, 39
WARBERG, J. (*see* JOHANNESSEN, A.C.)
WEISINGER, R.S. (*see* RUNDGREN, M.)
WIIG, H. & REED, R.K. Interstitial compliance and transcapillary fluid balance in renal hypertensive rats, 407
WISTRAND, P.J. (*see* ERIKSSON, Ö.)

YLITALO, P. (*see* PYYKÖNEN, M.-L.)

Subject index

Acetate, 327
Acetazolamide, 187
Acetylcholine, 335, 553
Acetylcholine synthesis, 223
Active biological transport, 9
Acupuncture, 119
Adenosine, 335, 373
Adenosine non-blocking xanthine, 95
Adenosine receptors, 381
Adipose tissue, 161
α-adrenergic, 419
α-adrenergic stimulation, 187
Adrenoceptors, 327
β-adrenoceptors, 455
β_2-adrenoceptor stimulant, 95
Amino acid, 547
Amino acids, 381, 533
Aminoquinolines, 553
ANF, 349
Angiotensin II, 197
Angiotensin II pressor response, 443
Antidiuresis, 243
Antidiuretic hormone, 67, 75
Arachidonic acid, 197
ATP analogue, 425
Atrial transmural pressure, 51
Atropine-antagonized, 243
Autonomic reflexes, 305
Autoregulation, 197

Baboon, 437
Binding affinity, 177
Bleeding, 513
Blood–brain barrier, 233
Blood catecholamines, 513
Blood flow, 419, 477
Blood flow velocity, 313
Blood lactate, 477
Blood pressure, 119, 461, 513
Blood redistribution, 387
Bovine gastric inhibitory polypeptide, 323
Brain slices, 87
Bronchi, 95, 335

Calcium, 233
Calmodulin binding, 33
Canine kidney, 305
Capillary diffusion capacity, 289
Capillary filtration capacity, 289
Capillary permeability, 233, 359
Capsaicin, 95
Cardiac catheterization, 467
Cardiovascular depression, 119
Cardiovascular reflexes, 51
Carotid artery occlusion, 17
Cat, 207, 395
Catecholamines, 27, 177, 477
Ca^{2+} transport, 249
Caval flow, 387
Central haemodynamics, 51
Cerebral ischaemia, 17
Cerebrospinal fluid, 269, 491
Chloride, 327
Chloride transport, 137
Chromaffin granules, 177
Cl, 433
Cl^- transport, 145
CO_2 anaesthesia, 281
Colon, 419, 455
Colonic motility, 425
Contractile activity, 39
Contractility, 467
Control of ventilation, 507
CO_2 response, 343
Cornea, 137
Cortical blood flow, 349
Cortical evoked responses, 281
Crosscirculation, 269
Cyclic AMP, 75, 137, 373, 381

Dehydration, 407
Delayed implantation, 215
Desmethylimipramine, 27
Detergents, 177
Diabetes, 39
Distal tubule, 9
Diuresis, 449
Diuretics, 137
Dog, 161, 187, 197
Dopamine, 257, 547

EEG, 281
Electrical stimulation, 107
Electromagnetic flowmetry, 437
Endogenous, 533
Endorphines, 155
Endothelian derived relaxing factor, 233
Energy expenditure, 167
Eriochrome Blue SE, 499
Essential fatty acids, 45
Esterification, 161
Ethacrynic acid, 187

Evaporative heat loss, 167
Evoked potentials, 395
Exercise, 477
Extracellular, 533
Extracellular volume, 407
Extraneuronal accumulation, 27
Extravasation of macromolecules, 95

Facilitation, 327
Fatty acid transport, 161
Fimbria, 87
Fluid transport, 419
Force–velocity relation, 467
Forelimb protection, 395
Fractional sodium excretion, 449
Frank–Starling mechanism, 387
Frog skin, 75

Gadus morhua, 27
Gallbladder contraction, 275
Gallbladder secretion, 275
Ganglionic blockade, 17
Gap junctions, 485
Gastric acid secretion, 313
Gastric motility, 111
Gastric mucosa, 313
Gastrointestinal hormones, 323
Globus pallidus, 547
Glomerular filtration rate, 187, 449, 491
Glomerulotubular balance, 187
Glucose-6-phosphate, 477
Goat, 243

Haemodynamics, 467
Haemorrhage, 17
Head-up tilt, 171
Heart rate, 513
Heat stimulation, 1
Hepatic arterial flow, 387
HEPES, 327
Heterogeneity, 359
High performance liquid chromatography, 257
Hippocampus, 87
Human motor units, 523
Humidity, 167
6-hydroxydopamine, 455
Hypercapnia, 343
Hypotension, 17

ICV infusion, 433
Immediate hypersensitivity, 95
Indacrinone, 145
Indicator dilution, 359
Indomethacin, 75, 485
Inflammation, 1, 233
Insulin, 39
Insulin secretion, 323
Interstitial fluid pressure, 407
Interstitial fluid volume, 407
Intracerebroventricular stimulation, 269, 491
Intradental nerve activity, 1
Ionic channels, 127
Ioperamide 275
Isoflurane, 87
Isoproterenol, 373

Judgement of lung volumes, 343

Kidney, 269, 349, 437, 491
6-keto $PGF_{1\alpha}$, 197
Kininogen, 461

Laser–Doppler flowmetry, 349, 437
Left ventricular dilation, 387
Leg exercise, 507
Leukotrienes, 95
Lidocaine, 95
Lipid protein, 177
Lipolysis, 161
Liver dimension, 387
Local veno-arteriolar axon reflex, 171
Lower body negative pressure, 507
Luteinizing hormone, 373

Macro EMG, 523
Mass spectrometry, 45
Medullary blood flow, 349
Membrane proteins, 33
Metabolism, 45
Metanephrine, 27
α,β-methylene ATP, 425
3-methylglucose, 39
Methylsulphate, 327
Mg^{2+}, 499
Microcirculation, 313
Microdialysis, 533, 547
Microspheres, 207
Miniature endplate potential, 553
Miosis, 243
Mitochondria-rich cells, 145
MK-196, 145
Moderate hypoxaemia, 171
Morphine, 275
Motor cortex, 395
Mouse blastocyst, 215
Muscarinic receptors, 127
Muscle blood flow, 507
Muscle lactate, 477
Muscle pump, 507
Myelinated axons, 87

Na, 433
Na channels, 127
NaCl, 433
Na^+/K^+ATPase, 9
Na^+–K^+-ATPase, 137

Naloxone, 155, 275
Natriuresis, 349, 449
Natriuretic factor, 269, 491
Nephron heterogeneity, 491
Nerve stimulation, 223
Neural control, 207
Neuroblastoma cells, 127
Neurohypophysis, 33
Neuromuscular junction, 553
Neuronal accumulation, 27
Newborn lambs, 61
Nitrate, 327
Nociception, 111
Non-febrile, 243
Noradrenaline, 257
Noradrenaline secretion, 327
Norepinephrine, 187
Normetanephrine, 27

One-kidney one-clip hypertension, 407
On-line computer, 359
Osmotic transients, 289
Overhydration, 407
Oxidative work capacity, 107
Oxygen consumption, 61, 215

$P_{0.1}$, 507
Paraganglia, 257
Parkinsonism, 547
PEEP, 51
Pelvic nerves, 425
Perfused pancreas, 323
Perfusion, 161
Peritubular extraction, 9
Phentolamine, 327
Phospholipids, 177
Photoreceptor, 499
Plasma albumin, 161
Plasma renin activity, 67
Plasma volume, 407
Porcine gastric inhibitory polypeptide, 323
Portal flow, 387
Postural sympathetic vasoconstrictor reflexes, 171
Presynaptic, 335
Presynaptic receptors, 381
Prolactin, 249
Prostaglandin E, 45
Prostaglandin E_2, 75, 197, 275
Prostaglandin $F_{2\alpha}$, 485
Prostaglandin I_2, 197
Prostaglandins, 137, 243, 313
N-proteins, 381
Proximal tubular reabsorption, 187
Psychophysics, 1
Pulpal pain, 1
Purinergic, 425
Purinoceptors, 425
Putative neurotransmitter, 533

Rat, 269, 281, 313, 323, 349, 455, 491
Rat corpora lutea, 373
Rat pituitary (GH_3) cells, 249
Rats, 17, 39
Rectal motility, 425
Recurrent laryngeal nerve, 257
Regional blood flow(s), 17, 207
Regional renal plasma flow, 491
Reinnervation, 223
Relaxation time, 107
Renal arterial constriction, 197
Renal blood flow, 305, 437
Renal cortex, 437
Renal haemodynamics, 443
Renal hypertension, 443
Renal nerves, 305
Renal plasma flow, 449
Renal sympathetic nerve, 437
Renal sympathetic stimulation, 187
Renin, 197, 461
Renovascular hypertension, 461
Respiratory water loss, 61
Response latencies, 395

Secretory granules, 33
Seminal fluid, 45
Sensible heat loss, 167
Serotonin, 207
Sheep, 45, 433
Shock, 155
SITS, 137
Skeletal muscle, 107, 171, 289, 359
Skeletal muscle blood flow, 67
Small intestine, 207, 419
Smooth muscle, 485
Sodium, 269, 491
Sodium load, 461
Sodium transport, 75
Somatic afferent stimulation, 119
Spinal reflexes, 523
Spleen, 27
Splenic dimension, 387
Stereoisomers, 137
Streptozotocin, 39
Striatum, 547
Subcutaneous blood flow, 67
Substance P, 111
Sulphate, 327
Superior laryngeal nerve, 257
Supersensitivity, 223
Sympathetic inhibition, 513
Sympathetic nerve activity, 51
Sympathetic nervous system, 155
Sympathetic stimulation, 419

Tachykinins, 95
Teleost fish, 27
Temperature, 477

Theophylline, 75
Tissue, 533
Toad skin epithelium, 145
Trachea, 95
Translation inhibitors, 215
Transmitter release, 553
TRH, 249
Trifluoperazine, 75
Tubular transport inhibition, 349

Ulilateral denervation, 223
Unmyelinated axons, 87
Ureter, 485
Ureteral occlusion, 197
Urinary bladder, 223
Ultrasonic measurement, 387

Vascular resistance, 161
Videorecording, 313
VIP release, 419
Visceral pain, 111
Voltage-dependent Cl^- permeability, 145

Water intake, 433

^{133}Xe wash-out technique, 171

ACTA PHYSIOLOGICA SCANDINAVICA

EDITORIAL BOARD

Chief Editor

B. Uvnäs *Stockholm*

National Editors

N. A. Thorn *København*

J. Leppäluoto *Oulu*

J. Jansen *Oslo*

D. Ottoson *Stockholm*

Volume 127

Pages 1–566

Published for the

SCANDINAVIAN

PHYSIOLOGICAL SOCIETY *by*

BLACKWELL SCIENTIFIC PUBLICATIONS

1986

Published for the
Scandinavian Physiological Society by
Blackwell Scientific Publications
Osney Mead, Oxford OX2 0EL
8 John Street, London WC1N 2ES
23 Ainslie Place, Edinburgh EH3 6AJ
52 Beacon Street, Boston, Massachusetts 02108, USA
667 Lytton Avenue, Palo Alto, California 94301, USA
107 Barry Street, Carlton, Victoria 3053, Australia

© 1986 Scandinavian Physiological Society

Printed in Great Britain
by the University Press, Cambridge

Authorization to photocopy items for internal or personal use, or the internal or personal use of specific clients, is granted by the Scandinavian Physiological Society for libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service, provided that the base fee of $02.00 per copy is paid directly to CCC, 27 Congress Street, Salem, MA 01970, USA. Special requests should be addressed to the Editor. 0001-6772/86 $02.00.

Contents

VOLUME 127, NUMBER 1, MAY 1986

AHLQUIST, M. L., FRANZÉN, O. G., EDWALL, L. G. A., FORS, U. G. & HAEGERSTAM, G. A. T. The relation between intradental nerve activity and pulpal pain after heat stimulation 1

MILTON, A., ODLIND, B. & DENCKER, L. Renal handling and effects of [^{3}H]digoxin and interactions with quinidine in the avian kidney 9

GRÖGAARD, B., LUNDBERG, K., GERDIN, B. & ARFORS, K.-E. Effect of carotid artery occlusion and ganglionic blockade on regional blood flows and intestinal damage after haemorrhagic hypotension in the rat 17

UNGELL, A.-L. Inhibitory effects of desmethylimipramine, metanephrine and normetanephrine on the neuronal and extraneuronal accumulation of catecholamines in fish spleen 27

CHENOUFI, H.-L., ENGBERG, E., SLANINOVÁ, J. & THORN, N. A. Indentification of calmodulin-binding proteins on membranes of secretory granules isolated from bovine neurohypophyses 33

WALLBERG-HENRIKSSON, H. Repeated exercise regulates glucose transport capacity in skeletal muscle 39

OLIW, E. H., SPRECHER, H. & HAMBERG, M. Biosynthesis of a novel prostaglandin, Δ^{17}-PGE_1, in the ram 45

SELLDÉN, H., SJÖVALL, H. & RICKSTEN, S.-E. Sympathetic nerve activity and central haemodynamics during mechanical ventilation with positive end-expiratory pressure in rats 51

HAMMARLUND, K., RIESENFELD, T. & SEDIN, G. Measurement of respiratory water loss in newborn lambs 61

HAMMER, M. & SKAGEN, K. Effects of small changes of plasma vasopressin on subcutaneous and skeletal muscle blood flow in man 67

BJERREGAARD, H. F. & NIELSEN, R. Trifluoperazine stimulated sodium transport by increased prostaglandin E_2 synthesis in isolated frog skin (*Rana esculenta*) 75

BERG-JOHNSEN, J. & LANGMOEN, I. A. The effect of isoflurane on unmyelinated and myelinated fibres in the rat brain 87

PERSSON, C. G. A., ERJEFÄLT, I. & ANDERSSON, P. Leakage of macromolecules from guinea-pig tracheobronchial microcirculation. Effects of allergen, leukotrienes, tachykinins, and anti-asthma drugs 95

BERGSTRÖM, M. & HULTMAN, E. Relaxation time during intermittent isometric contraction in subjects with different capacity for oxidative work 107

DELBRO, D., LISANDER, B. & ANDERSSON, S. A. Bradykinin-induced atropine-sensitive gastric contractions. Activation of an intramural axon reflex? 111

HOFFMAN, P. & THORÉN, P. Long-lasting cardiovascular depression induced by acupuncture-like stimulation of the sciatic nerve in unanaesthetized rats. Effects of arousal and type of hypertension 119

HEDLUND, B., ÅRHEM, P., LORENTZ, M. & SYDBOM, A. Non-muscarinic effects of scopolamine on N1E-115 neuroblastoma cells 127

INSTRUCTIONS TO AUTHORS 133

VOLUME 127, NUMBER 2, JUNE 1986

ERIKSSON, Ö. & WISTRAND, P. J. Inhibitory effects of chemically-different 'loop' diuretics on chloride transport across the bullfrog cornea 137

DÜRR, J. E. & HVIID LARSEN, E. Indacrinone (MK-196)—a specific inhibitor of the voltage-dependent Cl^- permeability in toad skin 145

MÅNSSON, J., SKOOG, P. & THORÉN, P. Naloxone and haemorrhagic hypotension in rats. Evidence against sympathetic nervous system as the primary mediator of improved cardiovascular haemodynamics 155

MADSEN, J., BÜLOW, J. & NIELSEN, N. E. Inhibition of fatty acid mobilization by arterial free fatty acid concentration 161

GARBY, L., LAMMERT, O. & NIELSEN, E. 24-h evaporative and sensible heat losses in relation to ambient humidity at 24 °C in clothed human subjects 167

HENRIKSEN, O. & ROWELL, L. B. Lack of effect of moderate hypoxaemia on human postural reflexes to skeletal muscle 171

LISHAJKO, F. Binding of catecholamines to phospholipids isolated from adrenal medullary granules 177

HARTMAN, A., LANGBERG, H., HOLDAAS, H. & KIIL, F. Glomerulotubular balance during renal sympathetic stimulation 187

BUGGE, J. F., VIKSE, A., DAHL, E., SLØRDAHL, S. H. & KIIL, F. Comparison of PGE_2, 6-keto $PGF_{1\alpha}$ and renin release from dog kidneys 197

GRÖNSTAD, K. O., DAHLSTRÖM, A., JAFFE, B. M. & AHLMAN, H. Regional and selective changes in blood flow of the feline small intestine induced by endoluminal serotonin 207

MAGNUSSON, C., EINARSSON, B. & NILSSON, B. O. Oxygen consumption by the mouse blastocyst at activation for implantation 215

EKSTRÖM, J., MALMBERG, L. & ÖBERG, S. Unilateral denervation of the rat urinary bladder and reinnervation: a predominance for ipsilateral changes 223

OLESEN, S.-P. & CRONE, C. Substances that rapidly augment ionic conductance of endothelium in cerebral venules 233

JÓNASSON, H. & BASU, S. Atropine-antagonized miosis induced in the goat by intravenous infusions of prostaglandin E (PGE_1 and PGE_2) 243

IVERSEN, J.-G., SLETHOLT, K., HAUG, E. & GAUTVIK, K. M. On the functional relationship between $^{45}Ca^{2+}$ release and prolactin secretion in cultured rat pituitary tumour (GH_3) cells 249

DAHLQVIST, Å., PEQUIGNOT, J.-M., HELLSTRÖM, S., CARLSÖÖ, B. & PEYRIN, L. Catecholamines of endoneurial laryngeal paraganglia in the rat 257

Rapid communications

RIPPE, B. & HARALDSSON, B. A technique for assessing capillary permeability from transvascular protein flux data obtained at low filtration rates 263

SÄFSTEN, B. & FLEMSTRÖM, G. Stimulatory effect of pirenzepine on mucosal bicarbonate secretion in rat duodenum *in vivo* 267

ULFENDAHL, H. R., GÖRANSSON, A., HANSELL, P., KARLSSON, M. & SJÖQUIST, M. Natriuresis obtained by stimulation of the cerebroventricular system with sodium ions indicates a blood-borne natriuretic factor 269

JÖNSON, C. & FÄNDRIKS, L. Bleeding decreases duodenal HCO_3-secretion by a nervous mechanism 273

VOLUME 127, NUMBER 3, JULY 1986

JIVEGÅRD, L. & SVANVIK, J. The influence of morphine, loperamide and naloxone on gallbladder response to prostaglandin E_2 in the anaesthetized cat 275

FORSLID, A., INGVAR, M., ROSÉN, I. & INGVAR, D. H. Carbon dioxide narcosis: influence of short-term high concentration carbon dioxide inhalation on EEG and cortical evoked responses in the rat 281

RIPPE, B. & HARALDSSON, B. Capillary permeability in rat hindquarters as determined by estimations of capillary reflection coefficients 289

BRADLEY, T. & HJEMDAHL, P. Renal overflow of noradrenaline and dopamine to plasma during hindquarter compression and thoracic inferior vena cava obstruction in the dog 305

HOLM-RUTILI, L. Effects of prostaglandin E_1, E_2 and 16, 16-dimethyl-E_2 on gastric mucosal microcirculation and basal acid output in the rat 313

SANDBERG, E., AHRÉN, B., TENDLER, D., CARLQUIST, M. & EFENDIĆ, S. Potentiation of glucose-induced insulin secretion in the perfused rat pancreas by porcine GIP (gastric inhibitory polypeptide), bovine GIP, and bovine $GIP_{(1-39)}$ 323

STJÄRNE, L., ALBERTS, P. & BARTFAI, T. Effects of chloride ion substitution on the frequency dependence and α-autoinhibition of [^{3}H]noradrenaline secretion in guinea-pig vas deferens 327

AAS, P. & FONNUM, F. Presynaptic inhibition of acetylcholine release 335

KATZ-SALAMON, M. Increased CO_2 drive for ventilation in healthy human subjects may interfere with their ability to control lung volumes voluntarily 343

HANSELL, P. & ULFENDAHL, H. R. Atriopeptins and renal cortical and papillary blood flow 349

HARALDSSON, B. & RIPPE, B. Restricted diffusion of CrEDTA and cyanocobalamine across the exchange vessels in rat hindquarters 359

SENDER BAUM, M. & AHRÉN, K. Adenosine potentiates the effects of LH and isoproterenol on luteal cells but not on isolated intact corpora lutea 373

FREDHOLM, B. B., FASTBOM, J. & LINDGREN, E. Effects of *N*-ethylmaleimide and forskolin on glutamate release from rat hippocampal slices. Evidence that prejunctional adenosine receptors are linked to *N*-proteins, but not to adenylate cyclase 381

STOKLAND, O., MOLAUG, M., THORVALDSON, J. & ILEBEKK, A. Angiotensin II infusion during β-adrenergic stimulation by isoproterenol. Effects on hepatic, splenic and cardiac blood volumes and on the magnitude and distribution of cardiac output in the dog 387

ANDERSSON, G. Regional differences in evoked response latencies in the cat motor cortex (area 4γ) 395

WIIG, H. & REED, R. K. Interstitial compliance and transcapillary fluid balance in renal hypertensive rats 407

VOLUME 127, NUMBER 4, AUGUST 1986

SJÖQVIST, A. & FAHRENKRUG, J. Sympathetic nerve activation decreases the release of vasoactive intestinal polypeptide from the feline intestine 419

HEDLUND, H., FÄNDRIKS, L., DELBRO, D. & FASTH, S. Effect of α,β-methylene ATP on distal colonic and rectal motility—a possible involvement of P_2-purinoceptors in pelvic nerve mediated non-adrenergic, non-cholinergic contraction 425

RUNDGREN, M., DENTON, D. A., MCKINLEY, M. J. & WEISINGER, R. S. The dipsogenic effect of intracerebroventricular infusion of hypertonic NaCl in the sheep is mediated mainly by the Na ion 433

SPELMAN, F. A., ÖBERG, P.-Å. & ASTLEY, C. Localized neural control of blood flow in the renal cortex of the anaesthetized baboon 437

SAHLGREN, B., EKLÖF, A.-C. & APERIA, A. Studies of the renal component of the hypertension in rats with aortic constriction. Role of angiotensin II 443

JOHANNESSEN, A. C., SCHÜTTEN, H. J., TORP-PEDERSEN, C., WARBERG, J. & BIE, P. Effects of synthetic human atrial natriuretic peptide (hANP) in conscious dogs 449

EK, B. & LUNDGREN, B. Increased β_1-adrenoceptor density after 6-hydroxydopamine pre-treatment in rat colon and lung 455

PYYKÖNEN, M.-L., YLITALO, P., KARP, M., NURMI, A.-K. & TIKKANEN, I. The effect of sodium load on the development of hypertension, plasma renin and kininogen in rats with renal artery constriction 461

KETTUNEN, R., TIMISJÄRVI, J., KOUVALAINEN, E., RÄMÖ, P. & LINNALUOTO, M. The automatic computation of pressure-derived maximal shortening velocity (V_{max}) of the unloaded contractile element in the intact canine heart left ventricle 467

BLOMSTRAND, E., KAIJSER, L., MARTINSSON, A., BERGH, U. & EKBLOM, B. Temperature-induced changes in metabolic and hormonal responses to intensive dynamic exercise 477

THULESIUS, O., UGAILY-THULESIUS, L. & ANGELO-KHATTAR, M. Generation and transmission of ovine ureteral contractions, with special reference to prostaglandins 485

SJÖQUIST, M., GÖRANSSON, A., HANSELL, P., ISAKSSON, B. & ULFENDAHL, H. R. Redistribution of glomerular filtration and renal plasma flow in CNS-induced natriuresis 491

RYDQVIST, B. & BROWN, H. M. Intracellular free Mg^{2+} in *Balanus* photoreceptor measured with Eriochrome Blue 499

EIKEN, O., LIND, F. & BJURSTEDT, H. Effects of blood volume distribution on ventilatory variables at rest and during exercise 507

HÄGGENDAL, J. On the patterns of blood pressure, heart rate, and blood levels of noradrenaline and adrenaline during haemorrhage in the rat 513

ASHBY, P., HILTON-BROWN, P. & STÅLBERG, E. Afferent projections to human tibialis anterior motor units active at various levels of muscle contraction 523

TOSSMAN, U., JONSSON, G. & UNGERSTEDT, U. Regional distribution and extracellular levels of amino acids in rat central nervous system 533

TOSSMAN, U., SEGOVIA, J. & UNGERSTEDT, U. Extracellular levels of amino acids in striatum and globus pallidus of 6-hydroxydopamine-lesioned rats measured with microdialysis 547

Rapid communications

TABTI, N., LUPA, M. T. & THESLEFF, S. Effects of some aminoquinolines on spontaneous quantal acetylcholine release 553

NORDSTRÖM, O. & DELBRO, D. Adenosine-induced contractions of the isolated rat trachea are mediated by 5-hydroxytryptamine 557

AUTHOR AND SUBJECT INDEX 559